

# ELEVATING GOODS LIFT

## Floor to Floor - Handling of Unitised Loads

Between - floor application has always presented a problem since the advent of the unit load and palletisation of products. The between - floor elevating hoist and scissor lift tables resolve this problem with the roll-on-roll-off concept and affording: -

1. Inexpensive equipment
2. Low cost installation
3. Shallow ground floor pit construction or 75mm ramp down to floor.
4. No overhead construction or structural requirements.

### Designed as:

- An economical, efficient and safe means of transferring goods from floor to floor.
- Allowing unused space to be recaptured and fully utilized.
- Eliminates the need for incline conveyors and expensive goods lifts.
- Eliminates potentially costly architectural modifications or alterations.
- Roll-on roll-off concept of floor to floor handling.

### TOP FLOOR

Goods hoist only

#### OPTIONAL

- Self supporting structure (Free standing)

#### OPTIONAL

- Modular unit

#### OPTIONAL

- Side gates for intermediate landing

### INTERMEDIATE FLOOR

#### Gate Options

- Positioning to suit client. Interlocking electro/mech lock safety cage gates.
- Roll Up Door

### GROUND FLOOR

#### OPTIONAL

Ramp

No overhead construction or heavy structural requirements needed.

Wall mounting.

#### Safety Cages for Hoist Well

2 or 3 sided, heavy duty solid metal or mesh panels with one pair 1800mm to 2200mm high swing gates.

#### Alternative Brick Well

Isolator switch 380V neutral and earth.

Upper limit over-ride switch.

#### Power Pack

Electro hydraulic.

#### OPTIONAL

Protective cover for power pack with table top.

Platform heavy duty steel construction.

Hydraulic cylinder low maintenance.

Prewired electrical circuit.

External surface mounted continuous pressure up / down push button control.

#### OPTIONAL

Shallow pit construction - 75mm deep or flush lower floor installation with on-off ramp 75mm H x 1000mm L

### NOTE:

Construction of pit in floor, opening in upper floor, safety cages, mechanical and electrical interlocking doors at each level and final approval by local authorities - are to be provided for by the contractor or client.

**DDL Equipment Pty Ltd**


Reg No: 2005/043409/07

E-Mail: [sales@ddl.co.za](mailto:sales@ddl.co.za)

Website: [www.ddl.co.za](http://www.ddl.co.za)

Tel: 011 393 1209

Fax: 011 393 1169



6 Neutron Road, Chloorkop, Kempton Park

Ref: CL-1-GH